

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	21410	(transfer or pass) adj (gate\$1 or transistor\$1 or switch\$2)	USPAT; US-PGP UB	2003/06/05 07:54
2	BRS	L2	433	transfergate or passgate	USPAT; US-PGP UB	2003/06/05 07:55
3	BRS	L3	6	transfertransistor\$1 or passtransistor\$1	USPAT; US-PGP UB	2003/06/05 07:55
4	BRS	L4	1	transferswitch\$2 or passswitch\$2	USPAT; US-PGP UB	2003/06/05 07:55
5	BRS	L5	1926	(1 or 2 or 3 or 4) near5 capacitor\$1	USPAT; US-PGP UB	2003/06/05 08:49
6	BRS	L6	3281	(1 or 2 or 3 or 4) near5 (logic or binary or digital or clock\$3)	USPAT; US-PGP UB	2003/06/05 07:56
7	BRS	L7	113	5 same 6	USPAT; US-PGP UB	2003/06/05 07:56
8	BRS	L8	36	7 and 327/\$.ccls.	USPAT; US-PGP UB	2003/06/05 08:06
9	BRS	L9	77	7 not 8	USPAT; US-PGP UB	2003/06/05 08:20
10	BRS	L10	119	5 and 6 not 7	USPAT; US-PGP UB	2003/06/05 08:20
11	BRS	L11	32	10 and 327/\$.ccls.	USPAT; US-PGP UB	2003/06/05 08:30
12	BRS	L12	87	10 not 11	USPAT; US-PGP UB	2003/06/05 08:34

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	241	complementary adj switch	USPAT; US-PGP UB	2003/06/05 08:34
14	BRS	L14	9	13 near5 capacitor\$1	USPAT; US-PGP UB	2003/06/05 08:36
15	BRS	L15	0	"always on" or "typically on" or "normally on" or "usually on"	USPAT; US-PGP UB	2003/06/05 08:37
16	BRS	L16	2266	(always or typically or normally or usually) adj conducting	USPAT; US-PGP UB	2003/06/05 08:38
17	BRS	L17	6	16 with (1 or 2 or 3 or 4 or 13)	USPAT; US-PGP UB	2003/06/05 08:40
18	BRS	L18	79	13 and (327/\$ or 361/\$ or 365/\$).ccls.	USPAT; US-PGP UB	2003/06/05 08:41
19	BRS	L19	77	18 not 14	USPAT; US-PGP UB	2003/06/05 08:41
20	BRS	L20	8933	(1 or 2 or 3 or 4) and (327/\$ or 361/\$ or 365/\$).ccls.	USPAT; US-PGP UB	2003/06/05 08:50
21	BRS	L21	879	5 and (327/\$ or 361/\$ or 365/\$).ccls.	USPAT; US-PGP UB	2003/06/05 08:51
22	BRS	L22	742	21 not (7 or 10 or 14 or 17 or 19)	USPAT; US-PGP UB	2003/06/05 08:52
23	BRS	L23	108	22 and protect\$3	USPAT; US-PGP UB	2003/06/05 08:59
24	BRS	L24	36	22 and transient\$1 not 23	USPAT; US-PGP UB	2003/06/05 09:04

	Type	L #	Hits	Search Text	DBs	Time Stamp
25	BRS	L25	84	22 and fluctuat\$4 not (23 or 24)	USPAT; US-PGP UB	2003/06/05 09:14
26	BRS	L26	514	22 not (23 or 24 or 25)	USPAT; US-PGP UB	2003/06/05 09:14
27	BRS	L27	133	26 and (noise or spike\$1)	USPAT; US-PGP UB	2003/06/05 09:23
28	BRS	L28	95	26 and 327/\$.ccls.not 27	USPAT; US-PGP UB	2003/06/05 09:28
29	BRS	L29	10	26 and 361/\$.ccls.not (27 or 28)	USPAT; US-PGP UB	2003/06/05 09:28
30	BRS	L30	276	26 and 365/\$.ccls. not (27 or 28 or 29)	USPAT; US-PGP UB	2003/06/05 09:29
31	BRS	L31	175	30 and gate and drain and source	USPAT; US-PGP UB	2003/06/05 09:30
32	BRS	L32	75	31 and (source near5 capacitor\$1)	USPAT; US-PGP UB	2003/06/05 09:33
33	BRS	L33	100	31 not 32	USPAT; US-PGP UB	2003/06/05 09:35
34	BRS	L34	101	30 not 31	USPAT; US-PGP UB	2003/06/05 09:38
35	BRS	L35	53	5 and 326/\$.ccls.	USPAT; US-PGP UB	2003/06/05 09:38